



ATTORNEY DOCKET NO.: ADV08 412

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Patent Application of Lamouri et al.

Serial No.: 09/597,547

Art Unit: 2879

Filed: June 19, 2000

Examiner: M. Santiago

Title: HORIZONTAL BURNING HID LAMPS AND ARC TUBES

TRANSMITTAL

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Non-Fee Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

RECEIVED
APR 22 2003
TECHNOLOGY CENTER 2800

Sir:

Transmitted herewith is an Amendment responsive to the Office Action dated January 16, 2003, in addition to the Amendment filed April 16, 2003.

If a Petition for an Extension of Time is necessary for the paper transmitted herewith to be timely filed, this transmittal is to be considered as a petition to extend the response period by the amount of time needed for the paper to be timely filed.

The Commissioner is hereby authorized to charge payment of any additional fees associated with this communication or credit any overpayment to Deposit Account 04-1679.

A duplicate of this sheet is enclosed.

Respectfully submitted,

L. Lawton Rogers, III, Reg. No. 24,302
D. Joseph English, Reg. No. 42,514
Mark C. Comtois, Reg. No. 46,285
Patrick D. McPherson, Reg. No. 46,255
Attorneys at Law

Duane Morris, LLP
1667 K Street, N.W., Suite 700
Washington, D.C. 20006
Telephone No.: (202) 776-7800
Facsimile No.: (202) 776-7801
Dated: April 21, 2003



ATTORNEY DOCKET NO. ADV08 412

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Patent Application of Lamouri et al.

Serial No.: 09/597,547

Art Unit: 2879

Filed: June 19, 2000

Examiner: M. Santiago

Title: HORIZONTAL BURNING HID LAMPS AND ARC TUBES

AMENDMENT

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Non-Fee Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

RECEIVED
APR 22 2003
TECHNOLOGY CENTER 2800

Sir:

Responsive to the Office Action dated January 16, 2003, and to correct an error made in the Amendment filed April 16, 2003, please amend the subject application as illustrated on the following pages:

Please amend the specification as illustrated in the replacement paragraph shown on Page 2.